



Company Name: PDM TRADING LTD & SILK ROAD NZ RETAIL LTD

Trading Name: PD MART

10 Aylesbury Street, Pakuranga, Auckland.

1 Radcliffe Rd, Belfast, Christchurch

Phone: +64 9 3938111

Email: info@pdmart.co.nz

## PD MART KITCEHN/TAP Mixers BPIR Declaration

Version 2025

### Designated building product: Class 1

### Declaration

PDM Trading Ltd and SILK ROAD NZ RETAIL LTD has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

### Product/system

**Name** BANGI Kitchen and Tap Mixer

**Identifier** B51498 1/2 EURO F01968 JAX-47 B57664 OLDA5-02 B57670 OLDA6-01  
B57675 OLDA6-06 B57695 OLDB10-072 F01948 JA-X15 F01961 JAX-40 F00199 WJ-B31018  
F00174 WJ-B31008 F00175 WJ-B31019 F00181 WJ-B31006 F00188 WJ-B31027 F00184 WJ-  
B31035 B51313 BB51314 B51002 B51003 B51316 F01523 F01524

---

## Description

BANGI KITCHEN/TAP mixer offers the perfect watering experience – bring control, safety and performance together in a simple and easy to use unit.

The mixer is intended for use in residential applications only, with equal low pressure or equal mains pressure water supply systems.

The mixer is available in stainless steel finish.

The start & stop of the flow of the mixer is controlled by the control handle.

The mixed temperature is controlled by the shower control unit and is adjusted by the control handle.

---

## Scope of use

The BANGI kitchen and tap mixer is intended for use with hot & cold water in residential applications only, with equal mains or equal low pressure water supply systems.

The mixer has GB 1/2" inlets & outlets compatible with G 1/2" metallic supply fittings.

## Conditions of use

The BANGI kitchen and tap mixer must be installed & commissioned by a registered plumber in accordance with the supplied instructions & in compliance with the relevant requirements of AS/NZS 3500.

The water supply pipes must be flushed thoroughly to remove any debris. In-line water filters must be used.

Hot & cold inlet pressures must be nominally equal. Not suitable for unequal pressure installations.

This product is cleanable and impervious to moisture — cleaning shall be done in accordance with the supplied cleaning instructions.

---

## Relevant building code clauses

**B2 Durability** — B2.3.1 (c)

**F2 Hazardous building materials** — F2.3.1

**G1 Personal Hygiene** — G1.3.2

**G12 Water Supplies** — G12.3.2, G12.3.5

## Contributions to compliance

- B2.3.1(c):** Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Englefield Studio thermostatic shower/bath mixer has a durability of at least 15 years, when installed and maintained in accordance with our supplied instructions.
- F2.3.1:** No materials used in the construction of Englefield Studio thermostatic shower/bath mixer gives rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.
- G1.3.2:** ENGS kitchen and tap mixers features chrome finished surfaces for ease of cleaning.
- G12/AS1 2.1.2:** All installations should comply with local plumbing codes and relevant requirements of AS/NZS 3500.

## Supporting documentation

The following additional documentation supports the above statements:

<b>Installation Instructions</b>	Refer website.
<b>Warranty statement(s)</b>	Refer website
<b>Care &amp; maintenance guide</b>	Refer website

For further information supporting Englefield Shower / Bath Mixers claims refer to our website.

## Contact Details

Manufacture Location	China
Manufacturer	YIWU SHI KEQI TRADING LTD
Legal and trading name of importer	PD MART
Address for Service	10 Aylesbury Street, Pakuranga, Auckland 1 Radcliffe Rd, Belfast, Christchurch
Importer website	<a href="https://www.pdmart.co.nz/">https://www.pdmart.co.nz/</a>
Importer email	<a href="mailto:info@pdmart.co.nz">info@pdmart.co.nz</a>
Importer phone number	09 3938111
Importer NZBN	9429051292416

